


INFINITE LED MICROPRISMATIC

Description

Downlight

For downlighting. High performance effective lm/W. Fully uniform diffuser with no shadows or glare. Structure material: Aluminium. Structure finish: White. Diffuser material: Polycarbonate. Diffuser finish: Prismatic. Warranty: 2 Years.11 Product net weight (Kg): 2.0751 Product length (mm): 11351 Product width or diameter (mm): 501 Product height (mm): 8011 Class I. IP: IP40. LED. No. of lampholders or LEDs: 80. LED brand: VOSSLOH. Driver brand: VOSSLOH-SCHWABE. Maximum power of light source: 34,6W. Colour temperature: Warm White - 3000K. Colour rendering index: 80. MacAdam Steps: 3 STEPS. Hours of life: 50.000h L80B20. UGR: 19.6. Photobiological risk: RG1. Real flux (lm): 3037. Nominal flux (lm): 4730. Lm/Real W: 89. Voltage and frequency range: 220-240 VAC. Gear included: Yes, electronic. Power factor: 0.90. Dimmable gear included: Dali.

**Finish**White
Prismatic**Material**Aluminium
Polycarbonate**TECHNICAL CHARACTERISTICS****Light source**

Light source: LED VOSSLOH
Output (W): 34,6W
Color temperature: Warm White - 3000K
CRI: 80
Real Lumen: 3037
Nominal Lumen: 4730
Qty Leds: 80
Lm/Real W: 89
Life Time: 50.000h L80B20
Bin / Grup: 3 steps
MacAdam steps: 3 STEPS
UGR: 19.6
Photobiological risk: RG1

GEAR

Brand: VOSSLOH-SCHWABE
Gear included: Yes, electronic
Voltage / Frequency:
220-240V/50-60Hz
Power Factor: 0.90
Dimming protocol: Dali

Luminaire

Warranty: 2 Years

Logistics

Energy Efficiency: LED A++
EAN Code: 8435526844883
Net Weight (Kg): 2.075
Weight in Kg (packaged): 2.555
Packing: 1200 x 110 x 70
Masterbox: 1

The photograph may not match the reference exactly. Please read the product description to identify the finish.

OPTIONAL ACCESSORIES



71-4911-N3-00

Structure material: Stainless steel AISI304
Net Weight (Kg): 0.085



71-4834-N3-00

Structure material: Aluminium
Net Weight (Kg): 0.250



71-4834-14-00

Structure material: Aluminium
Net Weight (Kg): 0.250



ACT-9083-N3-00

Power supply unit, 1-10V / DALI, Grey

Structure material: Injected aluminium
Net Weight (Kg): 0.660



ACT-9083-14-00

Power supply unit, 1-10V / DALI,

Structure material: Injected aluminium
Net Weight (Kg): 0.660



71-4923-00-00

Structure material: Stainless steel AISI304
Net Weight (Kg): 0.030

COMPATIBLE



eBLUE:
71-5961-00-00

